						10/11/03
Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	710	default\$3 WITH alarm\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:35
L4	273	default\$3 NEAR3 alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19
L 15	V 53	default\$3 NEAR3 alarm\$1 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "359"/\$6.ccls. OR "359"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:37
L6	6694	(config\$6 OR provision\$3) WITH alarm\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:07
L7	✓ 218 ✓	L6 AND L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:00
L8	126	network\$3 NEAR2 entit\$3 SAME default\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:08
L9	23	logical\$3 NEAR2 entit\$3 SAME default\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 14:10
L10	√ 58	logical\$3 NEAR2 entit\$3 SAME profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:18
E11	J 41	L4 AND profil\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:20
L12	2991	709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:20

			1		ı	· · · · · · · · · · · · · · · · · · ·
L13	√ 6	L12 AND L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:23
L14	7551	709/223-224.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 14:22
L15	28	709/223-224.ccls. AND L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:22
L16	ν ₉	L12 AND profil\$3 SAME alarm\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 14:24
L18	6	L15 AND profil\$3 SAME alarm\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:24
L20	V 70	L12 AND (default\$3 SAME profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:30
L21	V 5	L15 AND (default\$3 SAME profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:36
L22	377	default\$3 WITH vendor\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 14:36
L23	V 74	default\$3 WITH vendor\$3 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "359"/\$6.ccls. OR "359"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/10/19 14:46
L24	372	(object\$1 OR object\$1class\$1) WITH (instance\$1 OR instantiat\$3) SAME alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:22
L25	78	L24 AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6. ccls. OR "398"/\$6.ccls. OR "359"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:52

	, - .					
L28	1100	(object\$1 OR object\$1class\$1) WITH (instance\$1 OR instantiat\$3) SAME default\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19
L29	747	(object\$1 OR object\$1class\$1) WITH (instance\$1 OR instantiat\$3) SAME default\$3 AND (config\$6 OR provision\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 14:52
L30	203	(object\$1 OR object\$1class\$1) WITH (instance\$1 OR instantiat\$3) SAME default\$3 AND (config\$6 OR provision\$3) SAME default\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 16:02
L31	47	-	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	ÖR	OFF	2005/10/19 15:11
L32	2389	(config\$6 OR provision\$3) NEAR2 alarm\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/19 15:07
L34	17227	(object\$1 OR object\$1class\$1 OR instance\$1 OR instantiat\$3) WITH alarm\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:11
L35	678	L32 AND L34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 15:11
L36	121	L32 AND L34 AND ("370"/\$6. ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "398"/\$6. ccls. OR "359"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/10/19 15:17
L37	154	alarm\$3 WITH templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:22
L41	V 113	L12 AND (object\$1 OR object\$1class\$1) WITH instantiat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:40
L42	V 152	"370"/\$6.ccls. AND (object\$1 OR object\$1class\$1) WITH instantiat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:00

L43	2432	(profile\$1 WITH level\$1).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:01
L44		(profile\$1 WITH level\$1 AND (alarm\$3 OR performanc\$3)).	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:01
L45	31	(object\$1 OR object\$1class\$1) WITH (instance\$1 OR instantiat\$3) SAME alarm\$3 SAME (fault\$3 OR fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:03